

1925 8 58

170924

AXFP 170, 924

MM 8958

Horace C. Gillette?

[Decorative flourish]

Horace Gillette P.

TOMATO WINE.—Dr. H. C. Gillette, of East Windsor, Connecticut, has succeeded in making wine of a fine flavor and of good appearance from the Tomato, and this without the use of any alcoholic preparation. If the Tomato be as highly medicinal as it has been represented, it may be anticipated that this wine will find favor with the public.

the consumption Cures
℞ Prun Acid gr 15-

Syrupls Syrt - 34 #

℞. *the a.c.*

℞ Syrtum Syrt a a 34 #

℞ Gum Ammonia 2i

Rule Sanguinea - 12 gr

Opium - 6 gr

12 pills Dos 4 or 4 times
a day

℞ Elixr Asthmatic - 3i

Vin Ant - 3i

Muc Gum Arab -

Ext Glycyrrhiza a a 3/4

Aqua Font 34

Dose a table spoonful

Wm Hall

Emetic

For Children

1 R Tart Ant^y 1gr equal^y

Sugar of C. sweeten^d #s

Des 2.1. wny 1/2 U till it operates

Tobacco Poultice In cases when
Emetic cannot be taken by
mouth

2 R Tobacco leaves a hard piece
heat them with a sufficient quantity
of water to make a poultice
apply to the region of the stomach

Emetic in Croup Let the patient
3 R Wine of Spices 3j Tba. 1. pref^d
Oxymel Squills 3iij #s #s

Common Emetic Powder
4 R Spices 92xx Baromet^r 9i #s powder

5 R Root of Phytolacca Decand^a 9^o 20
Mentum emetic

Hollands Emetic for children
or infants

Rx Palo Seneae - ℥i

Oxyrin Scille - ℥ss

Syrup Gamb ℥i

Aqua Common ℥ss

Dose Teaspoonful in Coffee at
short intervals if Child is more than 6
year old 1 gr Tart Ant may be added

~~It is better
to use~~

Cathartics

When there is needley in the
primæ vacæ

1 R Rhubarb - 3℥

Pulver - Magnesia ʒss

Ol Olive 1℥ss

When there is stime in the bowels

2 R Rhubarb

Jalap

Pulver aa ʒiiss

In Drops

3 R Gamboge ʒiiss

White Sugar - ʒi rub into a
pouder taken every 3℥

4 R Rhubarb - 2℥ss

Juice - 1℥ss Oil to be
taken in quantity to bed

For Children: Boiled in a ʒm
5 R Gummi ʒi of water & given
manna 3℥ freely say

within the month 243, 1, any ʒ

Dose of Castor Oil for Children when
in the is 1. way 4th or 5th & till
3℥ is given

8℞ Laxative

Colomel 1℥ Ailz 1/2 grs der night & mor

Ailz 3℥: for colic without
inflamⁿ

7℞ Ginger 1 part Cloves 1 part

Alum 2 parts - Dose with Sacp

Good common Physic

℞ Alum 3ii Alum 3ii Gut Emul ʒss

Ginger 3i Gum Myrrh 3i Root of Pile ʒo

3 or 4 ii dose -

Common Cathartic in
the Hospital in Boston

℞ Rochelle Salts ʒij

Jupis Senna Comp ʒij

Lucifer Matches

Rx Sulphuret Antimony 2 parts
Chloride of Potash 1 part
Grind to a fine powder
then mix in a paste

So in the paste a common
sulphur match

Dr. Knight's common Cathartic
for pregnancy & act on
the lower bowels without
disturbing the stomach

Rx Aloes 5 gr or ʒi
Gamboge ʒ gr ʒi 4 gr
Scammony 3 gr 3 6 gr
in 4 gr pills

Rochelle Powder

R Rochelle Salts 12 oz
Sup Carb Soda 14 oz

pulverize them separately
then mix them

Put 120 gr of the above in
a white paper

Put 130 gr of Tartaric acid
in a blue paper

It is necessary to use 14 oz
of Tartaric Acid for the
16 oz of Sup Carb soda &
Rochelle salts & this
makes 64 Rochelle or
Sedlitz powders.
Dissolve the acid in a

Tumbler $\frac{3}{4}$ filled with
cold water seasoned with a
little syrup of loaf sugar
Then add the contents
of the white paper &
stir it well & drink
during the effervescence
It will operate better
to take it before break
fast while the stomach
is empty a little ^{Digest} Muric
of Iron may be added
if necessary although
a little incompatible
we get the tonic power

4 Grs Rochelle 120 grs ^{grind & mix}
Sulphur Soda 50 grs
Tartaric Acid 35 grs ^{or Lycopodium}

Forces

B

- 1 Rx *Ty. sup.* —
 1 Rx *Querc. sharpsii* 3i Let them
 Orange Peel — 3i stand in
 Beer & water ~~the~~ vessel & strain
 Dos 4 — twice a day —

- 2 Rx *Columbe root* Infuse 80
Gentian — Let settle
Sant. fleg — " take 3 —
 Orange peel 2 3 3 times a
 Spoon wine 40i

- 3 Rx *Sulph. acid dilut* 3i
Comp. tincture of Bark 3i
 Dos 2, 1. twice a day

- In Chlorosis purgative of Liver
 4 Rx *Sulphate of Iron* 3i
Magn. & Calc. of Soda 2 3 3 times a day
 2 4 7 1/2 2 = 3 times a day

5 R Infusion of Mucil. of Gren
Do 5 grs 3 or 4 times O in water

Mucil. Gum Galutina Do - - -
6 R Symp. of Lime Ziis emetic
Stomach - - - 3 or 4. per adult
Water - - - 10 to 40
grs

7 R Symp. of Gren
R B. Beck - Gren filings & Ventus Beck
a 3i Strong lime 1 gr each Do 3i 3 times
O - - - or the following

8 R B. Beck 3i Iron filings 2 1/2
Mucil. of Arch. grs. electuary Do size
a nutmeg turn a day -

9 R G. Myrrh. G. Ammonia - 9 Lime a 3i
Lapis Castil 3i. Turbith Vent 3i
Maf Make pills of the size of small
pills take 1 at a time 3 times O

10 R Cat Tere - - - - -
Yem. Anis a 3i 1/2 of Rube Cresp -
put into gut of split tube - with
water 3 times O -

11 R Barki Beer
Core Oil 3i Core Autumn

Red Gup Veng ca 3ii

Boil in 3 lbs of water 10 or 15 minutes
strain + add a gill of Molester + a gill
of yucca - stand over 8 hours to boil
- keep very 3 or 4 hours

Junkens Beer

12 R Myrk 3ii Gup 3ii Core 3ii Catap 3ii

Gum Camph 16 Syrup of Pile 30

Do 4 times a day

13 R Myrk - White Vetical a gill
in a pill for 16 6 0.

Indigestion with gaudium

14 R Vetical 1 lb 3ii Red Gup Veng 3ii
Alum 3ii Angust 3ii even - and
add Spirit 1 lb Do - 3 or 4 times 0

Grafts Myrk Myrk

R Myrk 3ii Gal 3ii or Gal 3ii, Pile 3ii

Gal 3ii 3ii 3ii 3ii 3ii 3ii 3ii 3ii

Pile 3ii Vetical 3ii or 3ii Do 3ii 3ii 3ii 3ii

3 times 0

R Sulphur Gum 3i to 5i
Gentian 3i to 5i

R 2 Cham 3i Water 6i 1/2

Ronic Pile

R Carb Fern 3ii - Pure Any Month

Pure Cinnamon 3i Pile 60 = Dose 1 to 2
3 times a day

Cinchona pulv (Sanford). 3i' steep in
Caryophylla - - - 3ii a pint of
L-Casoe - - - 3ii water 2
3ii hours
This is powdered very pleasant
when sweetened with loaf sugar

R Ferri Pyrophos 3i
dissolved in 2 or 3 boiling
water then add 6 or 7
siple Syrup then
3viii Zinct Cinchon
making 16 of the mixture
Dr Penny

Dose
3 to 5

Astringents

Mostly from Galatium (See pag. 4)

℞ Bull Lungs Roast. 15 to 30 gr

For Uterine Prolapsus

℞ Bit Turpentine 3j } First put
Acid Sulph^c 3j } the turpentine
Alcohol - 3j } in a large
galapok &
add gradually
= by the Sulph^c Acid After
this add gradually the alcohol

Dr Parkers R

R Acet Plum ʒi

Acet Morph griv

etgr Rosa ʒiv

applied with sponge

R etgr Rosa ʒiij

Glycerine ʒi

etgr Tannic ʒi

use with sponge

applied to parts

for sore throat

Soda Powder R¹¹
℞ Sup Carb Soda 3℥
Tartaric Acid 23gr

~~Syrup for Effervescent Mixture~~

Ale 1 gallon
M^g Tart Acid $\frac{3}{4}$ lb
Sac Alb 8 lb

Boil the ale & sugar a few
moments then add the Acid

Adhesive Plaster
 R Emp^m Latherage 3iii ^{melt the} Latherage + add
 Putr Resin 3p ^{the resin} gradually & stir

Adhesive Plaster used in
 the Hospital Boston

Diachylon 22 parts
 White Resin 4 do
 Copal Varnish 1 do
 R Black Pitch 2 or
 Yellow Wax 1 or
 do Resin 2 or
 Turbithine 1 or

Antispasmodics

12

℞ Valerian 3i Castor 3ii Add 1gill of
boiling water. Do 2 - v. until it
removes pain & produces sleep -

℞ Laudm 3/4 Pthm 1/2 Apply
extremely

℞ Root ~~Rhizanthus~~ ~~toxicaria~~ ~~Decurva~~ 200

30 - 4 times a day

Tobacco Injections

℞ Tobacco 3p Water 3/4 Hs / Decocted

Application of Cold Water

Dr Brownells Receipts for
Rheumatism

Acute Rheumatism / Blistering
Colchicum in large doses
Nit Polass, Gout & Arteries
Hot fomentations

When the pains are greatest
when warm in bed. Bleeding
Blistering mercurials Colchicum
cathartics

Cold Gout ~~Gout's~~ Iron-Sodate
of Potass Quinine friction
Hot bath

For Rheumatism & Gout

R Gum Guaiac	3i
English Saffron	3ss
Gum Camphor	3j
Opium	3j
Alcohol	℥ijss

Bathe in hot vinegar in some
cases & use anodyne liniment
Gowlers solution

Purities
(See Dropsy page 31)

1 R Horse Radish root 3i
 Juniper Berries - 3p
 Mustard seed - 1/2 gill
 Dose 1 gill 3 or 4 times .o.

steep in 1/2
 a pint of
 of boiling
 water strain
 & add 1/2
 pint orange
 juice
 & 1/2
 gill
 dissolved with
 Beardsley's

2 R Squills 3p Gum Di Colomel 3p
 Cast Soap 2i Symp Plac 9/ full 20
 Dose 1 night & morning

3 R Squills 3i cantharides 3p
 G Ammoniacum & Cast Soap 2c
 3p No Dile 60 Dose 1 morning - noon & night

4 R Digitalis 3p Canella Alba 1
 Ginger 2c 2i Boiling water 3p .om in
 S.V.

Cholera Ointment

Rf Strong Mercur	Oint 1 lb
Pulv Camph	1/2 lb
Capsicum	1/4 lb

- 144 15
- Zelri/ug
 1 R^y Gal Nitro 3℥ Water ½ pint
 Lemon juic 3℥ 1/4 bottle
 Dos. — . v. during fever
- 2 R^y See Ther 3i. & Aulz gr 3 ℥ of Sping 5
 Cinnamon gr 10 1/2 pints 10 - Dos one
 every 3 hours
- 3 R^y & Aulz 7 gr & Water 3℥ 1/4
 for Ematic give 2. — . every 15 or 20
 minutes for diaphoresis in fever 1. —
 every 6 hours
- Salin Draught
 R^y Pearlash ʒi. sugar. 1℥ Water. — .
 and strong vinegar. — 1/4

Effervescent Mixture

R^y Carb Potash 3℥

Water 12 table spoonful

Lemon Juice a teaspoonful

To a tablespoonful of the
 solution of potash

See Notes Vol 2^o page 233

Serphenteria

Rx Antim 7 1/2 to 1/2 gr every 4 hours
D. acid to counteract

Carbonic Acid Gas good Dispe

In Page 34 No 3

In Syphilis

Rx Carb Ammon 3j

Serpenteria 3i

Water ——— 12 tte

Anodynes

Gum Opia ʒ℥2 - Laud^m ʒss 10 to 30 ^{1/2}

R ʒ-lanoph ʒii ʒ Arab ʒss ʒm All ʒss
Milk & water ʒ4 ʒss. —. on in 1 or 2 N.

Anodyne Drops

R Acetate of Morphine 16 gr
Distilled Water ʒi
Acetic Acid — 3 or 4 gtt
Alcohol ʒi

Dose from 6 to 24 gtt

The following solution is most used
in Boston Called Solution of Morphine

R Acetate of Morphine 16 grains
Distilled Water 6 drams
Diluted Acetic acid 2 drams

Solution Dose 6 to 24 gtt

Anodyne Plaster

R Opium Palm ʒij
Camphor ʒss ʒss
Emp Lythrag ʒss
Pix Burgund a a

R Rhii — — gr XVII
 Sub Carb Soda — — XIII
 Aqua — — Ziiij
 Syrup Papav. Son. — —
 Tinct. Valerian. aa Ziiij
 To cross & uneasy Children

Also from Dr. Roehrborn

R Laudanum 20 grs
 Calomel Magnesia Ziiij

Tinct. Assafetida 40 grs

Dose 10 to 20 grs of cinnamon water

R 1 gr Opium *Phystere*

1 gr Anafetida

2 gr Camphor

1 gr Soap

for an adult

Diaphoretic

16 70

Camphor Yarnization
By Recommended for Rheumatism

Put a blanket around the
Shoulders of the patient holding
it tight around the neck to
prevent the fumes coming into
the face Put under the chair of
the patient a portable furnace
having a plate of sheet iron on the
top Put a heaped spoonful of camphor
on the hot sheet iron every 25 min
utes this may be continued 20 min
utes or $\frac{3}{4}$ of an hour

Dropsies

171

From the review Medicinale
The following Liniment is to be
applied ^{with} friction over the
seat of the disease

Rf Finet Squills
" " Itegitatis
" " Sem Colechicum a a 3ss
Camphorated ~~oil~~
Ammoniated oil 3iss

The friction is to be applied with
a woollen cloth & continued from
5 to 20 minutes as the accumu-
lation is larger or smaller
Purges are to be given internally
at the same time

It may be necessary to joint with
it demulcents or gentle laxatives
crema &c or to suspend it for
a time

~~Squid~~

James Pills

14 Hyd Sub mur - gr 30

Pulv Squills - gr 30

" Bicelatis gr 10

" Saffron gr 10

Mf to Pills to 20

Take 3 a day

Said by Dr Brown to be a
good hydragogue

Measles

re
From the Lancet

Blisters are a very important
remedy in this disease

If applied ^{to the chest} early in this disease
before the eruption appears
when the eyes & nose begin to run
they will mitigate the symptoms
I save many a child from death
other suitable remedies of course
should be given

Give Tepid bath when no
Eruption Snake Root & Ammon

For night sweats be with
℞ Elit Paragorie
... Nitrolic

Mixed Naptha a a 3j
Dose 30 gtt 3 times a day

For Itch

1 R Sul Carb Potash 3p

Aqua Regia - 3i

Continued

Red Precipitate 3i

Sulphur + Lead aa 3ix

Benjamin -

2 R Hyg Lead 3i

Continued

Vitriolic Acid 3i R

3. Ointment Wet = 340. Powder 3s. Alcohol
strum & Tincture of 1 pint of Alcohol = 34

or R Pure Alcohol Ceru 3p

Pan Glycerine 3i Use in
water sep

Red Precipitate Oint

R Red Precipitate 3i

Lard

$3\frac{1}{2}$

Lotion Chlorate Lime for itch
Chlorate Lime one and a half
or 2 ounces

Wash the parts daily & in
8 days it will produce a cure
Once in 3 days the tepid bath is
necessary to cleanse all calcareous
matter for crusts If the itch reap-
pears use Sulphur fumigation

Asthma

20

Ex Effluents No. 11

1 Rx Opacae -

P.M. 24

Celandine aa 20 gr

Do. 100 gr

Dried Squills - 20 gr

evening

Soap 16th Symp of the

2 Rx Rube Columbo

For this

Ginger aa 3i

add boiling

Chamomile flowers 3i

Water 1 1/2 pints

Dec 4 - of cold infⁿ at mid day

Smoke - Treat of Stomach

Smoke paper saturated with a solution of salt paper paper

Use Stomach leaves in place of paper

Use Sweet Resin road

Bilious Colic
Drink largely of Indian Meal Water

Influenza or comm
or cold

R Calomel 3 gr
Yart Ant $\frac{1}{4}$ gr
Opium — 1 gr Pill
Take 1 or 2 or 3 the first
day & omit the 2 to prevent
salivation

R Aconitum Scilla
Honey
Water a a q^l

Dose 1 to 2 teaspoonful

If not combined with
the above pill add 1 gr
Antimony to the ounce

Intermittent
discharges of all
kind.

R Nit Pot 10 gr
Acon 5 gr
Kino 1 gr
said to be good
Merrill & Lusk
Med & Surg Jour
July 1837

increased
the strength

Lew corrhoea

R White vitriol 3℥ Injection

Dilute 2 gr at one injection in 3℥ water

2 R Gum Caliche 3℥ Dose a wine glass full
Water 4℥ Dissolve 2 or 3 times O

3 R Gum Canthard 3℥ Water 3℥
Dose — 3 or 4 times O.

Clarke bleed Leech cups

Keep the bowels open
at night produce diaphoresis
with Dovers powder

R Lemon Juice 3℥
carb Ammon gr XV

Syrup cort Aurant 3℥

Mint Water 3℥

Dose —

Leytta Linet 10 increased to
30 drops

Linet Hellibore 3℥ Dose

Scytholien is good

Menorrhagia

22

Acetate of Lead gr 1

Opium gr 4

Specie

gr 1

Pill

Watery Discharges from Uterus

Dr Clark's & Marcatis Acid ^{Drops}

Acid sulphuric 6 drops
with a little syrup & Rose
water

R Sulph Lime gr XV

Ext Hop - 3i

oil Cinnamon gr 3

Make Pills No 15 & give one
twice a day

Astringent Injections

R Sulph Lime	3i	R Alum	3i
Water pure	3.20	Water	3i
		Mucil	3i

R Oak decoction	ty	Flax seed	3i
Tinct Calabar	3i	Alum	3i
Sulph Lime	3i	Tinct Kino	3i

Agonizans

1 R White Lin Turpentine 3℥
Coar of Sader — 3℥
make Pill of the common size
Dose 2 or 3 more & we laxation

For Riles & Burns

2 R Opium & Camphor a 15-gr
Jace Potum — 3℥
Laid — 3i Unguent

Alum Whey

R Alum — 3℥ } Give a wine-
Milk. R } glassful.

Menorhag R Alum — 3℥
Sulphur — 3℥
Water 1 pint
injection with force enough
to reach the os uteri
R Boston Medical & Surg Journ
Vit Potass 10 gr
Alum — 5 gr
Guaiacum 1 1/2 gr Bonus...

Purulent Discharge ²⁰

\mathcal{R} Sulph Copper 3j
Dioct Cenchona 1 pint

\mathcal{R} Sulph Lime 3fs
unct Kino 3j
Aqua Distil 3j

\mathcal{R} Acetic Acid
Water

\mathcal{R} Acid Nitric 10 grs
Water 1 pint

\mathcal{R} Tiquor Plumbi 3j
Acetic Acid 3ij

3pts Wine 3j
Aqua Distil 1 pint

Purulent discharge with Blood
Nit Argent 10
Aqua Distil 1 pint

For Ringworms

1 lb White Mineral Paint. to be
rubbed on the part

2 lb White Oil 10 gr
Water. Stir the mixture

Ophthalmia

Wash

27

1 R Sulph Lime 6 gr
Armenian water 3 i 481

2 R Sulph Lime 3 i Add to 1 pint
of warm milk keep it warm till
the milk is all used then draw
off the whey for use

3 R Spermaceti 3 i Aplew
Mixture of Mercury in pencil
as the case

Keep 1 bowl open on each 6th
page 4-5

Eye Salve
4 R Bees wax 36

Lard 3 lb melt + add

Armenian Salutar 3 lb found by drawing
it in warm water

Amenorrhoea

Dewees Tinct Guaic

R Gum Guaic - - 3i
Bae Piment - 3ij
Ag- Ammon - - 3ij
Carb Soda - - 3i
Brandy or Rum 3viii

Dose a teaspoonful night
& morning

Lo 7/8 ounces of the Tinct
Guaic add half an ounce
of tinct Sytta

This is to be given with
Bears Pills

Dr Brownwells R

R Tinct Helb R 3ij
" Myrrh - 3ij
" Eulacae vol 3ij
" Cantharides 3i

McKays, Rhin, Myrrh &
Soot

See Jones page 8th p^o 4:5:

You Enjoin -

1 R^y Sacchar-Alum 3i

Milk - 30 ~~th~~ Dissolve

2 Compound Tincture of Alum 3p

to be taken every the morning

Johnson says use constitutional remedies
only except at the time nature makes an effort
then purgatives like cath^o No 53 p 145

Used by Dr Beers in
New Haven

Emmenagogue
from Dr. Dr. Dr. Dr.
R^y Sulph Line

Pulv Aloes $\bar{a} \bar{a}$ 3i

Pulv Sanguin 3fo

Make 90 pills each of
of mass in pill
said to be excellent

American herb

Regen. in form of 3/4 per day. perf.
by holding 3i in glass of water down
a pipe.

Johnson's Pill

R Gum Myrrh 3ij
Sulph Ferri 2ij
Lab Carb. Pot. 2ij
Gum Camph 16 gr
Pill No 36 give 3 to in day

Myrrh Mixture

Myrrh
Sulph Iron 3ij
Carb Potash — aa 3ij
Sack Alb 3i
Ess Gaulttherum 3ij
Aqua Gout 1/2 pint

R Sulph Zinc — 3i
R Sanguinaria — 3i
Aloes — 3ij
Water Myrrh — 3ij
Make 60 Pills 3ij

give sufficient
to operate as
a laxative

R Sulph. Quinin 1/2 gr
Phosphate Iron 6 gr
Give this 3 or 4 times in 24 hours

Phileps

262

1 R. Extract of Gelsemium gr 1
Census of Havers gr 5-10 pills
taken on 3 times 0

2 R. Amygdalica gr 3 Tinct. 10 pills
Census of Havers gr 5-10 3 times 0

3 R. Stannum Sued & chelch
aa 3i Sacp 3i Simple Syf gr 10
make common used pile give 2
nights + morning

4 Extract of Gelsemium - Extract of Potash
aa dissolve in water add 10 pills
each pill in center 1/6 of gr - 10
on night + morning

Moore's Essence of Life

Rx Opium	—	℥iij
Balsam Tolu	—	℥iv
do Peru	—	℥ss
Benzoin India	—	℥ij
Road. Siquora		
Eyt Siquora	a	℥i
Sem Fennel		
" Anis		
Coriander	aa	℥i
Alcohol	—	℥iij
Aqua	—	℥iij

Dyspepsia

In Cornies page 8 N^o 1:2:3:

1 Rf. Winter's Bark

Ruby Ash Bark Pulv & H²
Rhubarb & Linnæ

Acacia sud aa 3p

2 Rf. Lig. Luanin Amu 3i Infuse
in Barley water 3r2 per hour
stand add Dist^d Linc 928

Spt^d Levadia 3p H² - 2:1

3 Rf. Ther 3ii May Tinct 3i
Dose 1. 3 or 4 times a day

4 Rf. Columba - Cereb² - Argemone
aa Pulv. Dose 1. or

Rf. Cereb² 3ii Argemone 3iii Mentha
Flora 3p Water Op Dose 1. 3-4.

Pill Speave 1 gr dose

Rf. Mt Argent 3ii 1 pill M^o
Ipecac - 3i 50
give one more at Noct

Doct Sanguin Comp

R Rad Sanguinaria Ziiij
Ext London Garax Zls
Doct Eupatorium Pur Ziiij
Gally Rad Zinzibar Zij
Caryophyllus — — Zij
Aqua — — — — — Zij

Conium & Iron Pills

R Ext Conium Zij

Red ox Iron Zijss

Dr Johnson says small doses of it
argente ʒij to ʒij & a half in 3 doses
during the day an wine
decuss in suitable form

Hemorrhagia

28

Doct Cogswells Astringent Bonus

R Potassium - 3j

Sapo Castil 3j

Brandy - 3viii

This is a new & valuable astringent
which stops the bleeding of the larger
bloodvessels Shave the soap fine
& dissolve it in the brandy

then add the potash

Mix ^{& keep them} in a close vial When the
solution is applied it should be
warmed a little & pledgets of
lint moistened with it should
be applied to the bleeding surface

H. Lings Lu Lins vol 2 Amsterdam

Dysentery

1 R. Spice gr. Calomel gr. i.
Opium gr. 1/2 full - every 6. U. S.

2 R. Morley, Tinct. Galutina (Lupul)
Apply blister to 1 Abdomen & Tinct.
cantharides to 1 body.

for 1 first stage of Dys.
R. Calc. gr. - Ar. 7 gr. repeated

Lime water Punch

R. Scalded Milk parts ^{or 3} 2
Lime Water 1
French Brandy 1
for children with dysen-
tery

Chalk Mixture good
for Dysent^y & Cholera Morbus

R^x Cruta Prep^d 3i
Liquid Laud 3iij
Sal Aratus 3i
Ol. Linn 9tt 3
Ol. Anise 9tt 6
Sac Alb - - 3i
Aqua Pura - - 3viij
Brandy - - 3i
Gum Arab 9o 3i

From Dr Brown^{well}

Child 2 years old half to a
teaspoonful or more
R^x Mist Camphor 3ij
acid Sulph^r Dilut 3iij
Tinct Cardemon - 3ij
Dose in 4 teatilespoonful
over 4 hours

Ophthalmia

31

1st R Alum grs Water 3i - with white of egg

2^d R Sulphur Coppr grs Water 3i Dist

R Conium Macul. grs Aqua 3℥

Drops

31

1 R^y Juniper Berries

Red Linen a 3ⁱⁿ

Squills - - 3ⁱⁿ add

Water Boil down to 1/2 stn

add Spent Miter Dule 34 - Des bring
full every 2 v during the day

2 R^y Sulphate of Iron

Cerb of Potash - Squills - Spent 4th of
Miter a 3ⁱⁿ Landm 40th

Mint Water 36 ~~th~~ thoroughly Des
1 to 5 - in 4 to 6 v If Done in
the morn double the quantity except
of the mint water - Check the mixt
before taking it

Apply a blister to the pit of the
stomach take nourishing Diet
Dunk wine

Infusum
3 R - *Fol Digitalis* 3ij *Camilla Alba* 7
Ginger 4ij *Infusum* in 3℥ of water
Do. —. once in 6. U. or

R *Fol Digitalis* 3ij *Ginger* 3℥ *Tulip* lin
Bisk 3ij *Water* 3℥. *infusum* 4℥
Do 3℥ *mug* + *mug* — *Do* 11

R *Pulv Rad Scilla* — gr 6
" *Fol Digitalis* gr 6
" *Rad Linum* — 2ij
Super Tart Polassa — 3℥
Divide into 12 equal powders

R *Acid Tarturic* — 3i } Give
Carb Soda — — XXV } the
Spirits Ether Nit — — 3ij } mixt
Infusum Digitalis 3ij to 3℥
Aqua Mint vel *stomach* 3ij } 2 a
Give every night this pill at the } day
same time R *Pill Hydrarg* 3℥ to 5℥
Johnson says it is the best — gr 11
most powerful *Pulv Scilla* gr 1
in *Pharmacop* *Oil Cassia* 9℥ 11

Fever

℞ Opium gr 12
 Speace gr 12
 Calomel gr 24
 Mucilage q.s

} Make 24 Pills
 Doct H Wood

Acetate of ammonia in an effervescent state

℞ Carbonat Ammonia ℥ij
 Aquae ————— ℥vj
 Mix

Let half an ounce of this solution be mixed with half an ounce of vinegar and drank in the effervescence

Doct Woodwardy Emulsiocathartica
 given at the commencement of fever
 ℞ Sute Mur Hyd 12 gr
 Speace — 6 gr - Dose

Scrophularia 3ij
 Carb Ammon 3i
 Water 7ij

In Remittant bilious where
 there is a tendency to inflammⁿ
 during the course of the disease

Give the following R^x Calomel - 1
 Part stat 4
 Nitre - $\frac{1}{2}$
 Solub Part 90

cut in an orange or lemon to make
 it agreeable -

Burns & Scalds

33

1 R Olive Oil --- 3ij

Lime water 3iii No lotion

2 R Alcohol - 34 Lime Water 10p

3 Apply cotton wool spread with little
Benzoic

4 Ointment of Stramonium Lids with
Lead

In Humeroides Pag. 22^d No 2

5 R Alcohol 3i Ol Organum 3ii

apply 4 times

6 Lead ointment very useful

Dr Dorsey

R Basilicon ointment
Turpentine 90 Linseed
oil

Pains of the Head

1 R. Pain from congestion or is nervous
See Dyspepsia 227. No 3. Blisters

2. If from blood on the scalp
An incision should be made
to the bone & an emetic should
be given

3. Periodic Head

R. Gum Arabic 3iiss Cereb. Ammoniac 3iiss
Borax 1ss. Oil. Sassafras 1ss
Do. or Lin. glass very low

Branches Pills

1 R. Colocynth	3iv	1or	1/2	3ii	3i	3/4
Alum	1ss	1/2 lb	1/4	2or 1	1/2	1/2
Gamboge	1ss	1/4 lb	2or	1or 1/2	3i	3i
Opop	1ss	2or	1ss	1/2	3ii	3i
Oil Peppermint	3ii	3/4	1ss	7i	4	2
Oil cinnamon	3i	159	7/4	4	2	1

Myst Pills

Hygiene Pills

Rx For No 1st

Gamboge 1 gr

Alors & colocynth ext $\frac{1}{2}$ gr

Cream Tart $\frac{1}{2}$ gr

& a trifle of ginger

No 2nd are made the same
with the addition of one & a half
gr gamboge instead of 1 gr

Brand's Pills

Dr Fuller's Physic Pill
much used at the retreat

Rx Alors - 60 gr
Scammony 36 gr
Gamboge 12 gr
Simple syrup q.s.
Pills No 30

Eruptions

1 R Alcohol 3i M Acid 3i Dor 10 to 20 3.
get in an 3i of pater
with relaxed state of the bowels

Give blue pill if constitution is weak
if not give calomel

Foul Ulcers

℞ White Arsenic 3; boil in 2 quarts
of water to 3 pints apply it on or twice
a day -----

The extract of Phytolacca
Decurva has a certain effect
on cancers & foul ulcers

To cure inter Chorea Touss
or apply an infusion of 1 root
of Gophera Tinctoria or a Tincture
of yucca -----

℞ Sulph Ceft - 10 gr Pulv C Angust 3i
add 4 pint of boiling water - Dist
3 or 4 times a day

℞ To relieve inflammation - (see Glut 49)
no 1

℞ White Wax 4 parts
Venice Turpentine 1 part
When it begins to grow stiff
turn it into the place until firm
apply straps over First cleanse the
Wound every 3 days

Campher is the best remedy in this
 disease. Applied externally combined
 with Opium & oil & taken internally
 with castor oil

Injus Senna Comp
 from Dr Jackson

R4 Infus Senna 3j

Pulv Jalap 3ij

Dose 3ij Polass Sup Hart 3ij

Manna 3j

Sem larva 3ij

Infus Senna Comp 3b

Aqua

Roehelle satto may be added

Comp Calomel Pill
℞ Calomel — 6 gr
Ant Yert — 1 gr
Pulv opium — 2 gr

Comp Aloetic Pill
℞ Aloes 2 gr
Yert Ant $\frac{1}{4}$ gr
opium $\frac{1}{2}$ gr

Eliz^r Sacred

℞ Rhubarb bruised 3i $\frac{1}{4}$
Pul Locoine Aloes 3b
Cardamon bruised 3p
Sifted Alcohol 7biss
Digest 10 days & filter

Rheumatism
Blisters the part - or Opodeldocum

37

1 R of Guaiac 3ii Opium 3f Juice 3ii
Calomel grx Camph 3i - Divide into
20 powders given 1 every 4. or 6. - keep the
patient in bed till soon perspire

2 R Guaiac 3ii Aleop 3f Lignum 3f
Sassa 3ii ~~of~~ ~~the~~ Dec 2. i. with wine

India Rubber more on the part

New York Practice

1st Give N. Hart Ant — $\frac{1}{2}$ gr
vin Colchicum $\frac{1}{2}$ oz
Int Mindeseri 4 oz

Give a tablespoonful 3 times a day
if not successful 20 gr Pulv actua

Acute Rheumatism
Five Balsam Capivi &
wine Colchicum

R Congd Pills

Ry Sub. mur. M^d VI gr
Sart. Ant. gr 1 1/2 gr
Sulph. Morphin 1 gr
wine Extract

Pills No 8

Dr. Knecht

Delirium Tremens

37c

Sweet Gum 34 mix

Sweet Capseum 38

Give half in 24 hours

Contents of the 2 papers

- 1 Ferri Sulph Vgr Acid Tart XXV
- 2 Bicarb Soda XI gr
Orank with sugar & water
Sonic

Caliduate Water

Take of Crystallized Sulphate

of Iron 23 White Sugar

33 Pals & make 12 powder

Bicarb Soda 2 3/4

& sugar 33 & divide in

12 powders one of each

in half a tumbler of water
& drink while effervescing

Congress Water

Each Gallon contains 690
grains of solid Matter
 $\frac{2}{3}$ of which is Murate Soda
 $\frac{1}{4}$ Carbonate The remainder is
Carb Soda }
" Iron }
" Magnesia

It contains $\frac{1}{2}$ of its volume
of carb acid Gas

The mineral springs contain
9 gr per gallon of Carb Ferri

Dumhia

39

1 R In Dumhia with affluis of 1 liir
of fine Ingates of Starch 3 Collisport
Laudm from 5 to 100 grt
Cal gr 1 Spec gr 2 M. Des —

2 R In mild cur
Rhei 1 Specu aa 3ii Opii 3i
M fill 60 Des 1 night & morning

3 R Chalk 3i of Arab 3i Capia 3ii
Lac Rose 3p Balsam botan 3ii
As to him Glep way 2. V. shak it sh
you

Red Drop

Chronic Starved in Children

R Rhei — — — 3i

Pimento — — — 3p

Infuse in a pint of water
while boiling & let it stand
until cold then add

Aqua Ammonia — — — 3v

Rect Opium — — — 3ip

Lac Album — — — 3iv

French Brandy - 3ij.

This preparation contains Drops
of Laudanum to a teaspoonful
Dose 1 or 2 teaspoonfuls Doct A Scott
called Red Drops

Ellsamt. adds 3ij Carb Potass & Corn
Greenidge omits the Harlskorn
Lime Water & Arrowroot

of Lime Water - 1 gill

Arrowroot 1 tablespoon full

Milk - - 3 gills

1 Teaspoonful of Epsom Salts
1/2 Teaspoonful Common Salt
2 Teaspoonfuls Sub Carb Soda
Fill the bottle up to the
neck with water, then add
one Teaspoonful of Tartaric
acid & cork instantly
Set it in a cool place
for 12 hours or well
to fit for use

Expectorants	1
Emetics	4
Cathartics	5
Forcibles	8
Antispasmodics	20
Itch	19
Hemorrhoids	22
Lunaticism	21
Chlorosis	25
Dyspepsia	27
Epilepsy	26
Ring worms	23
Dysentery	29
Dropsy	31/17
Atropine	10
Adhesive Plaster	11
Burns & Scalds	33
Staphylococcus	16

Gravel 40
 46
 Alluvial Sand 46
 Parker's Compound

1st Concrakea

R Calomel 3ii M.G. Arab 3ii
Aqua Rosae 3iv M Symp

2nd R Alumina 3ij Water 3iv M Sy^e

De Lencumbra Recp 21.

3rd R Dule Kino 3ii Dece Alumina 3i

Opia 3ii M.G. Arab 3i Water 3iv M Sy^e

4th R Dece Gattien 3i Water 3iv M Sy^e

5th R Corrosive Sublimat 3i M.G. Arab 3ii
Aqua Font 3iv M Sy^e

From Dr Clarke

Purulent Discharges with blood

R Argent Nit 10 gr

Aqua Distil 1 pint

R Sulph Copper 3ss

Decoct Cenchura 1 pint

Common R Acetic Acid

Water 1 pint

R Acid Nitric 10 gr

Water 1 pint

Gangrene

R. Magiatic Ammonia 3℥
Water ————— ℥ij

Keep a cloth wet with the
solution on the parts affected

Hyos
R *Op* Bismuth Gum Arce-dif

Hy *Hy* No 10

Rogers Tonic Given to Heall

Sulph Ferri \mathfrak{zj} } Pills

Aloes ——— X gr No 20

Ext Conium \mathfrak{zj} }

Hy Dicks to Given Mr Barbour

\mathfrak{R} Sulph Zinc \mathfrak{zj} } 60
Asafoetida \mathfrak{zij} } Pills

Lupeline \mathfrak{zj}

Piperine ——— 2 gr

Ext Hyosciama ——— Pills

Ext Conium a a \mathfrak{zj} } No 20

Cholera Infantum

42

First clean the mouth & hourly with
20 gr Ipec or 20 of Cal℥ afterwards
give powder of Opium 1 part Cal℥ 9 parts
Div 4 gr every 3 to 5 v. or more
into pills with 9 Arch & piece of
chalk

Warm or tepid bathing. Plasters with
in infusion of butter herbs & apply
to the belly or warm spirits

All cases give tincture
A strong decoction of the Ergon
Cucurbitis is needed — Photother

Rx Infusion Marsh —
Aqua Cinnamon a a 3i
Tinct. Coluber 3ij
Spiritus ammonia 3i
Syrup Alacant 3ij
Tinct. Opii 9th XII
Mist

Cliff Blains

Simply apply Gold Beaters Skin

Pruritus vulva

R Bi Borate Soda 3ss

Looph morphine VI gr

Aqua Rosa dist VIII ounces

First Wash the parts with soap
& water then apply a cloth
to the parts saturated in the
solution

Cross

43

In the first stage of the disease
the Calomel is put in
for 10 or 12 gr at first smaller
dose every 4 or 5. till vomit
or purgation - Mucous 10 or 20
repeated if necessary

In the second stage or the 7th stage
Blood letting - Antacid mixture
close the mouth with 'of Calomel'

In the 3rd or moribund stage
the blood dose of Calomel equally
discontinued

24 Sinker Sinker Sinker
3/4 Steeped in a clove wine 1/2 pint
of water till reduced to 4/3
Des. 1. very 1. a 1. 1/2.

25 Tincture of Labdanum Infusion
Des. 1. to verify - repeat - way 10 minutes

Cox's Honey Syrup

26 Sinker

Syrill's pulv a 3/4

Water Bailing 1 quart

27 Honey or Loaf Sugar

Antimony Tart 2 4 gr

Bail the sinker & syrrill in
water to one half then add Honey
Set it Simmer a short
time over the fire then add
the antimony

Liquid Blacking

R Ivory Black $\frac{1}{2}$ lb
Vinegar - - 2 quarts
Molasses - in the mel 4 3 4
Gum Arabic $\frac{1}{2}$ lb mel 2 3
Oil Vitriol $\frac{1}{4}$ lb

Ivory Black $\frac{1}{2}$ lb ^{B. Lillaman}
Molasses 1 gill
Oil Olivarin $\frac{1}{4}$ lb
Gum Arabic $\frac{1}{2}$ lb
Spirits Lavender $\frac{1}{2}$ lb
Vinegar $\frac{1}{2}$ lb
Oil Vitriol $\frac{1}{2}$ lb

Let all the ingredients be
carefully mixed before
the oil of vitriol is added
& this should be done by degrees

R Ivory Black 33

Juice of 3 Lemons

Molasses 2 tablespoons full

Sweet oil 1 tablespoon full

Vinegar 1/2 pints Mix them

well together & it is immediately fit for use

R Lamp Black 1/2 pints

Rum 1 gill

Molasses 1 lb

Milk 1 lb

Beer 1/2 pint

Preparations of Food

Cut Beef the
end of beef in square of butter
boil 20 minutes scum off when
cold strain - - - - -

Arrow Root Jelly
Put Arrow Root large spoonful in
little cold water to a cup full pour
this into a pint of boiling water
stir well add a little sugar &
nutmeg - - - - -

Rice Gruel

Boil 5 lbs. of rice in 8 gals of
water untill the quantity is half
reduced strain & add 1 pint of Arrow Root
& little cinnamon let it boil
up once add little nutmeg

Carate for rough skin
R. Mox & Opium plaster 3ij
oil of almonds 3vi

Strengthening Plaster

R. Diachalon 3i
Gum Opium pulv 3i
" Camph " 3ij

Misc

Dr. Maines Picking

Strengthening Plaster

R. Resin 2 pound -

Pix Burgundy 2 oz

Bees wax - 4 oz

Bees tallow - 2 oz

add Camphor Capsicum or
any other stimulant

or opium as a sedative

In cold weather the Bees wax
& tallow may be increased in quantity
Melt & when thoroughly incorporated
pour the mass into a tub
of clean cold water & work it
over until it is fit for use, which
actual trial will only make
known. Spread with a heated
spatula & apply warm

Gum Ammoniacum -

A plaster much used by

Doct Lloyd

Good for corns

Gravel From Mr Mason

Ry Rub Gum Arabic - gr 20

Bi Carb Soda - 3j

Sub Carb Potass - gr 30

Sac Alb - 3j

Aqua Para - 36

Mixt Dose a table spoonful

Ry Tapo castit

Vitriolic Tartar

Aloes Socotrine a 3ij

Native Linbar 3ss

Pale Rhiz 3ij

Benelian Turpentine 98

Take a pill about
the size of a pea

Ring Worms

Wash of corrosive sublimate

Apply Nit Argent to eruption

Oxydointment

Better Walnut & Musc Ann

Purkiss Comp Sassafras

℞ Rond Sassafras 32

Marsh Mace 32

Senna 32

℞ 2 Wintergreen

1 nutmeg

Soap Sugar 32

Boil all these sugar
& wintergreen in 2 quarts
water to 1 quart

Strain & add wintergreen sugar
& 1 pint Good Shrub

Diabetes

Two grain diaphanous

New strength & turn

At home when. Bore over

By Milk 2 guests a star from

Alum 3m try the end
superior

Powder

- 1 24 Spigⁿ Mary^l 3iⁿ batⁿ 34 hair
Dose 43 13 per se ched 94 old
- 2 24 Puler 20d Spigⁿ Mary^l 3iⁿ Oct 6 yr
Rhin 20 gr 44 Puler 100 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100
+ many - 100 ched 5-6 6 yr old
- 3 24 Spⁿ Mary^l 3iⁿ batⁿ 34 hair
- 4 24 Spⁿ Mary^l 3iⁿ batⁿ 34 hair

R^h Rad Spezⁿia Mary^l 3iⁿ
Calomet 6 gr
Rhenbarb 6 gr
Powders 100 6 2 take
one night & morning
3 grs steeped in 3 8 water
in a full dose

Inflammation

48

Wash for Local Inflⁿ

1 R^y Acetate of Lead 2^{ss} Wash or cover
Water — — — — 34 with wet rag

or R^y Acetate of Lead 2^{ss}

Vinagar 34 Water 6vi M

Lead Poytice

R^y Acetis Plumbi 3ij
Aqua — — — — M^{ss}

Chum in bread or oat meal until
it is of a proper consistence

Sulph^r Magnesia } equal parts
Magnesia Calc^d }
Give a teaspoonfull every 2
hours until it operates —

Vomiting
Carbonic Acid Gas - but ready

1 lb Caudatum 3ii Chalk 3p Ice 3lb
Boiling Water to

Gynoncha Maligna
After the inflame is subdued
℞ Capsicum Annum .i.
Brandy & water — 3ii Gargle

49

Varicella Excrescences
℞ Corrosive Sublimat 3j
Camphor — 3ss
Alcohol — 3i
Applied with a camel hair pencil
Applied with camel pencil

Gene & Symplicia
1 R. Corrosive Pul - 192. October 34
ingre

Doct Gilbert's Recipe

R. Corrosive Sublimatic $\frac{1}{8}$ gr
dissolved in water & filled
with flower stimes in a dug
kept a secret by a physician
in France. At the same
time a rotation local
application of Nit Argent
if there is ulcers

Chapman Fox Clap

R. Balsom Copacu - 3ss

Spt Lavender - 3ij

Spt - Nitro Dulce - 3ij

Laudanum - - - 3i

Gum Arabic - - - 3i

Water - - - 3i

Dose a table spoonful morning
noon & night

~~Hydrothorax~~
R Quill gr Calomel gr Seps Pin 50
℞ 3 in a 0

R Gamboge - - gr iv
Spirits Ether Nit ʒi
Syrup Buckthorn - - ʒij
Aqua Minth aa ʒss mix
Give this 2 or 3 times a week
2 in the intermediate days give
Cream Tart & Diuretic drops
made as follows
R oxymel Colchicum
Scilla

Finet Measles
Spirits Ether Nit - aa Coch Minia
Take this mixture 3 or 4 times a day
Doctor Brownell uses Colepocum
40 drops with ʒ wine glass
infusion Galen & al

Good when ripe to 11000
R Comp - July 31st 1830 3rd Ser

Hydra Thora Dr hull
14 Scilla & Nit Polassua 3ij
finely grated Horse Radish 4 or
vinegar 3 pints Water 1
cubeb may be added

Salt Rhum

(See last) 51

Mineral water

Rx Sal Glac 3i Water 6i

Applied freely

W.

Op - Cinchona

First Iodine

Linnement Used by Olente

R First opium

Aqua common

oil oreganus

Camphorated oil

3/4
3/4
3/4
3/4

Venereal

Doses

For Chancres apply 4 t^h

1 Coroner Sublimata 1 or 2 gr
Water 3i ttt

yea in t^h

By Coroner Sub^l to 1 gr Water 3i Dos
4 to 12 gr 3 or 4 times D. -

Dr Fitch uses injections to keep the
parts clean & Long Lead Pills inter-
nally

59

Ry S. Perry Gums
Infusion of Roses 36
Alumina — 31
Mell Opt — 31 ft
Gargle or wash

Th Ry Decoction of Bark 36
Tinct Myrrh — 31
Muriatic Acid — 11 55 to 20 ft
Bark or Gargle

Johnsons Anti Billious Pills

R^x Ext colocynth comp — Zi
 Sub Mur Hyd — — gr XV
 Tart Ant — — gr. ii
 Oil Carua qtt V

Dose in pill No 24) 12 or 3 night

Dr. Halls Pulv. ^{4 on Halls Laxative}
 1/4 Oils ^{1/4 Pulv. Rhuib. 7}
 Ext Colocynth ^{Sulph. Potash Zi}
 Jalap — — a a Zi ^{Spiceal 8 gr}
 Oil Hyd — — Zi ^{Oil Mint 6 gr}
 Spiceal — — Zi ^{Sapo Cast 9}
 Oil Cannon qtt 20 ^{7 in pill}

Laxative

R^x Sol Anna pulv Ziij.
 Slos Sulphur — Zi
 Cream Tart — Zi

Saundice

33

R Corrosive Sublimate gr 1
Ext Conium Maculat 10 or 12
Spirits Menthe Piper 3j
Linct vel Vinum Sanguina 3j
Aqua Pura — — — 33

First dissolve the Corrosive Sublime
in the water, then diffuse the
extract of hemlock in the mixture
by trituration in W-D mortar

Then add the Wine Sanguinalis
& spirits pepperment

Four drams of this mixture or
a table spoonful may be given
until contraindicated

Doct Gully

Page 54

Cough Pills

R Pulv Scyllae

Scille

Opium a a gr 20

Sapo castil gr 10

Oil Anis gr 20

Mft Pills No 30

Cough Drops for North

R Elix Asthe

Vin Antimony

Spirits Nit Sulce ~~a~~

Syrup Bals Tolu a a 3j

Sassafras one drachm

Dose a teaspoonful morning
and night

Bitters

1/4 Gum Guaiac 3ij
 Rad Gentian -
 Quassia a a 3ij
 Cort Aurant 90
 Cinnamon 90

Dr Hawley's Pills for Cough

1/4 Calomel - - - 41 gr
 Tart chironomy 1 1/2 gr
 Sulph Morphine 1 gr
 100 capsules

Pulmonary Balsam

Sweet Spirit Water
 Syrup Ipecac a a 3j
 Syrup Balsam Yoh 3ij
 Liq acetat Morph 3/4
 Ess Spearmint
 Dose 40 gr

Tooth ache
℞ Sulph Alumine ʒij
Spt Ether Mt ʒij
Pulv the Alum & add the
Ether

Preparation of Camphor
Camphorated Emulsion
℞ Camphor 3℥ Mille 3℥ Dose
add Water 3℥

For External Application
℞ Camphor 3℥ Mille 3℥ Glycer 3℥
Cream of Tartar 3℥

Camphorated Glycer
℞ Camphor 3℥ Glycer 3℥
Agar 3℥ per se ridem to
pound with Alcohol or Magna

Protestant John

By Santa Emma Pintment
apply Herba Emma 31 Com Circu 31

Eye Water
 ℞ Acetate Plumbi 6 gr
 Linct. Opium 3ij
 Aqua 3j

℞ Sulph Zinc 2½ gr or 1½
 Acetate Plumbi 1½ gr ¾ gr
 Aqua Pure 3ij 3j
 Laudanum 3ss - qtu 15

S Zinc 1¼ gr to Aqua 3j

A Lead 2½ to do

For Opacity

℞ Corrosive Sublimate 8 gr

Water —

3j

Mrs Wilsons Eye Water

℞ 7½ gr Sulph Zinc 4 Sulph Zinc
 7½ gr Salt Salt 2 14 gr
 3½ gr Sulph Zinc Sulph Zinc 7 gr
 ½ gill water Water 14

Neuralgia

$\frac{1}{4}$ Sulph. Quinine gr 45

Paleo Sigmoidin gr 15

14r. Suffer for pills 30

one every night at bed time

57

Beer

R Vit Spruce - 20 gtt
Do Wintergreen - 15 gtt
Do Sassafras - 12 gtt

Boiling Water 2 quarts mix

Let them stand until cool

Then add Yeast & Molasses
of each ^{one} 1/2 pint

Cold water 2 quarts

Let them stand 24 hours &
bottle & in 2 days they are
fit for use

If you please a little ginger
may be added

Ginger Beer & Milk

Ginger Beer Miss Pratt

R Ginger

Cream Tartar a a 4
Spoonfuls

Molasses 1 quart

Yeast a pint & a half

Water 3 gallons —

Stir it together & let it
stand until it begins
to ferment then bottle it
& in 12 hours it will be fit
for use

Dr Erays Beer

to a pailful of water

4 table spoonfuls of Ginger

a winecupful of yeast

add a quart of Molasses

cream of tartar may be
added

58

Ointment for Inflammation of the eye

By G. J. Guthrie Professor
of surgery in Royal College
in Westminster Hospital

The object of these ointments
is in chronic to exert an action
greater & in the acute a different
one from that previously
existing. From Foreign Medical
journal Jan 1813

1 R Argenti Nitrat. From 2 to 5 or 10 gr
Liquor Plumbi Subacet. qtt 15
Unguent. Cetacei — 3i

2 R Corrosive sublimate 3 to 4 gr
Liquor Plumbi Subacet. qtt 15
Unguent. Cetacei 3i

The corrosive sublimate
Nit Silver must be made
with

to an impalpable powder
then carefully mixed with
the ointment on a slab
or mortar Then the Siqueor
plumbic is to be added

A double decomposition takes
place in each of the ointments
which naturally diminishes the
strength of each but this
takes place slowly particularly
in the corrosive sublimate ointment
so that it does not become inert
by standing weeks

Net silver ointment gray at
first then black or brown

If used without the acetal acid
it acts on eye producing slough
If a severe application a state
resembling white chemosis

occasionally takes place appears
formidable but soon disappears
after fomenting the eye with warm
emollient fomentations
The mode of applying the ointments

to introduce a small piece 59
larger or smaller as the case may
require from the size of a large
pino head to that of a garden
pino. ^{By} The eye lids being closed
are to be rubbed to diffuse the aint
mint over the whole conjunctiva
a part however works out & should
be wiped off to prevent staining
the skin. Both the applications
cause pain lasting from 1/2 hour
to 1/2 hours & even to the next day
if severe application. ^{By} The next
day the patient usually perceives
the benefit of applicⁿ
I repeat it until the 3^d day

^{By} The patient usually can tell by the
old sensations when it is necessary
to be repeated. In acute cases
2 or 3 applications often sufficient
in chronic after necessary to continue
it some time when they produce

irritation cupping & purges
must be resorted to after which
the ointments may be again
used & after use purges
& after treat them with care
according to the case

Guard in opacity of cornua

Cough Loxingers

R Ext Liquorice	34
Gum Arabic	34
Opium	34
Stem ^c Balsom	34
Loaf Sugar	Bi
	34
Make it into rolls or Loxingers	

Lees Billious Pill

R Aloes	3iij
Scammony	—
Gamboges a a	3ij
Colomel	3iiij
Sabap	3j
Gum Arabic	3ij
Sapo Castil	3ij
Make Pills of 100	

Cough Cakes

56 gr \mathcal{R} Balsam Tolu $\frac{1}{2}$ oz
 gr 15 \mathcal{R} Opium $\frac{1}{4}$ oz
 021 \mathcal{R} Sanguinaria \mathcal{Z} ij
 Ext Siquorrec \mathcal{Z} oz
 39 \mathcal{R} Gum Arabic \mathcal{Z} ij
 Gum Ammonia \mathcal{Z} ij
 39 Loaf Sugar \mathcal{Z} oz
 Balsam Capiva \mathcal{Z} ij

Dissolve together then
 spread it in cakes on plates
 to dry.

Casco Billions Pills

\mathcal{R} Alois
 Gamboge
 Jalap aa \mathcal{Z} ss
 Calomel \mathcal{Z} ij
 Sapo Cast \mathcal{Z} ij
 Pill Common Size

Cough Lozenges
Cholera Ointment 13

Gangrene 41
Gonorrhea 40

Gout --- 50

Gleet 49

Infus Cinchona

Mucil --- 46

Hemorrhoid --- 22

Hydrothorax --- 50

Hemorrhage --- 28

Heads of group 42

Hygien Pills 34

Itch --- 19

Inflammation --- 48

Infus Cinchona

Incontinence of

urine Finet Con-

tharides 20 drops

Jaundice

Johnson's Bill. Pill 52

Immature Blows

Janus Pills 17

Lens Pill 60

Lincaria --- 27

Liquid Blacking 44

Dr Watson

Time Water Punch 29

Measles --- 18

Myronk Mixt 25

Menorrhagia 22

Malches Quercus

Moore's Emulsi

Moore's Eye 26

Neuralgia 56

Ophthalmia --- 30

Ophthalmia Opacity 58

Pains in the Head 34

Pyrosis . . . 41

Plaster Sore 45

~~2 Stomach~~
Pruritus Vulva 42

Parkes R 10

Rhininitis - 37

^{See Protopharyngitis}
Red Drop 39

Rockelle Pow 39

ders - - 19th

Red Precipitated

Ring Worm 46

Tight Sweats 18

Salt Rhum 31

Swollen joints 55

Scoury Gums 52

Syphilis - - - 49

Tenna Compound 56

Toddy Powders

Tonic Symp 11

Tonic - - - 8

Tooth Ache 74

Tinct Dewees 24

Tonic Rogers 41

U - - - 35

Uterine Protoph 10

Vomiting 45

Vascular Dines 51

White Anger (in
Drunk)

Worms - - - 47

Dr Joints Receipt
Sassa-parilla Root
Sey Quare
Sassafras Root Bark
Elder flowers
• Burdock Root
Add 1 quart & 1 pint
of Spirit & the same quan-
tity of water Boil
& add 8th Sugar
Dose Wine glass full
3 times a day

DOCTOR H. LONG, M. D., of Holyoke, Mass.,
gives the result of thirty-five years experience with
cases of scarlet fever, in the following
"I have
to "

1774
RECIPE FOR TOOTH-ACHE.—At a meeting
of the London Medical Society, Dr. Blake
stated, "that he was able to cure the most
desperate cases of tooth-ache, (unless the
disease was connected with rheumatism,) by
the application of the following remedy to
the decayed tooth: alum reduced to an im-
palpable powder, two drachms; nitrous spir-
it of æther, seven drachms. Mix and apply
them to the tooth.

*Prescribed by Dr. Blake
in the London Medical Society
on the 12th of June 1774*

Given to H. M.D. 34

DOCTOR H. LONG, M. D., of Holyoke, Mass., gives the result of thirty-five years experience with cases of scarlet fever, in the following words :

"I have attended every variety, from the simplest to the most inveterate cases terminating in death within twenty-four hours from the attack. For the last twelve years my treatment has been as follows: Vapor bath at the commencement, with warm diluent drinks and medicines acting to the surface. (Of these every physician has his favorites, and I have mine.) This brings out the rash of a bright scarlet color, which is right, as the condition of the blood is shown by the color of the rash, which in the worst cases is very dark and sparse. When the rash is fully developed, I keep it so by a moderately stimulating course, and give frequent gargles of marsh rosemary for the canker. In the high inflammation of the skin, when the burning, restless patient writhes in agony, I wrap him in a warm wet sheet, and pack him down. If sleep ensues and the patient is warm and quiet, let him remain two hours. This removes the inflammation of the skin, and renders the cuticle permeable for the escape of that morbid matter, which, like a universal blister, in convalescence, desquamates the whole surface. I use no antimonials, and allow no physic till the subsidence of the rash, and the result has been most happy, having succeeded in curing every patient who has been under my control from the commencement of the disease; and in no case has there been any swelling of the throat, or disease of the sinuses, or spongy bones, or dropsical affections as a result of the disease."

At 170, 994

110924
M198958